## Stitch in Time Cushions

Finished size 20" x 20" (50 x 50cms)

Designed by Lynne Goldsworthy of lilysquilts.blogspot.com
using the Stitch In Time collection from Makower UK www.makoweruk.com




## Fabric requirements for one cushion

Fabric	Cushion A	Description	Amount	Cut
Α	2134/1	Montage	FQ	One 12" square
В	1525/S3	Linea	FQ	Eight 1 ¼" x 10" strips Eight 1 ¼" x 13" strips
C and E	2140/B	Ditsy	FQ	Eight 1 3/4" x 12" strips
D	2136/1	Buttons	FQ	Four 2 ½" x 15" strips
F	2135/Q	Notions	F8th	Two 8" squares cut in half on the diagonal (one top left to bottom right and one top right to bottom left)
Binding	1525/S3	Linea	FQ	Four 2 ½" WOFQ strips
Backing	2134/1	Montage	³⁄₄ m/ yd	One 11" x 22" and one 15" x 22" rectangle (cut portrait style)
Templates; Five of each of templates A1/B1 and A2/B2				

Wadding; 24" square / 60cm square 279 Cotton Mix 80-20 from http://www.vlieseline.com/en

Threads; Aurifil 50wt for piecing and 40wt for quilting from http://www.aurifil.com

makower uk



### Notes:

- · Read the pattern in full before starting.
- 1/4" seams are used throughout except where stated otherwise.
- Press after each seam, pressing seams open or to one side as preferred.
- WOF width of fabric a strip of fabric cut from selvedge to selvedge or from the selvedge to the centre cut on a FQ or F8th (WOFQ).
- We do not add a backing to our pillow front but, if you prefer to add a fabric backing, you will need a 24" square of some scrap fabric.
- This pattern uses foundation paper piecing. If you are not familiar with this technique, we suggest practicing on scraps first and the following online tutorial is a useful guide:
- http://www.lovepatchworkandquilting.com/blog/foundation-paper-piece
- Make sure to visit http://www.makoweruk.com/projects/ to ensure you are working from the most up-to-date version of the pattern.


## Making the cushion


- 1. Follow the fabric layout in the main image and fig 1 and cut the fabrics as shown in the fabric requirements table.
- 2. Tape together the five pairs of templates at the red line. Four A templates (black) will be used to paper piece the four sections of the cushion front. One B template (red) will be used to cut out the centre square for each cushion front.
- 3. Use the B (red) template as shown in figs 2 and 3 to trim the centre square to a diamond shape.
- 4. Foundation paper piece the four A templates using the fabrics as listed out in fig 1, trim to the dashed lines and remove the papers from the back.
- Sew the four A template pieces to the centre B template piece using Y seams and taking care to ensure that the corner triangles are all the right way up.

## Finishing the cushion

- 1. Sew the binding strips end to end using diagonal or straight seams as preferred and press fig 2-3 wrong sides together along the length to make a double fold binding.
- 2. Make a quilt sandwich, basting together the back (if you are using a back), the wadding and the top.
- 3. Quilt as desired then trim square, removing excess wadding and backing. We quilted a diagonal cross-hatch of lines approximately <sup>3</sup>/<sub>4</sub>" apart using a white 40wt Aurifil thread on the front and back.
- 4. Hem one vertical edge of each of the backing pieces hem the right side of one piece and the left side of the other piece.
- 5. Overlap onebacking piece over the other, pin to the cushion front, wrong sides together, zigzag around the four edges to secure and trim away excess backing fabric.
- 6. Bind, taking care to mitre the corners.

fig 1






# makower uk Concord Fabrics UK Ltd

## **Stitch in Time**

from makoweruk +44(0)1628 509640 www.makoweruk.com







2134/1 Montage

2136/1 Buttons



2135/S Notions

2135/Q Notions









2139/B Cotton Reels

2138/Q Scissors

2139/P Cotton Reels

2138/B Scissors







2140/B Ditzy Floral

2140/Q Ditzy Floral





2137/P Irons

Sewing Machine throw cover by Lynne Goldsworthy of lilysquilts.blogspot.com Finished size 20" x 33" (50cm x 80cm) Download free from www.makoweruk.com